

# Chapter 4

# Computation

Bjarne Stroustrup

[www.stroustrup.com/Programming](http://www.stroustrup.com/Programming)

# Abstract

- Today, I'll present the basics of computation. In particular, we'll discuss expressions, how to iterate over a series of values ("iteration"), and select between two alternative actions ("selection"). I'll also show how a particular sub-computation can be named and specified separately as a function. To be able to perform more realistic computations, I will introduce the **vector** type to hold sequences of values.
- Selection, Iteration, Function, Vector


# Overview

- Computation
  - What is computable? How best to compute it?
  - Abstractions, algorithms, heuristics, data structures
- Language constructs and ideas
  - Sequential order of execution
  - Expressions and Statements
  - Selection
  - Iteration
  - Functions
  - Vectors

# You already know most of this

- Note:
  - You know how to do arithmetic
    - $d = a + b * c$
  - You know how to select
    - “if this is true, do that; otherwise do something else ”
  - You know how to “iterate”
    - “do this until you are finished”
    - “do that 100 times”
  - You know how to do functions
    - “go ask Joe and bring back the answer”
    - “hey Joe, calculate this for me and send me the answer”
- What I will show you today is mostly just vocabulary and syntax for what you already know

# Computation



- Input: from keyboard, files, other input devices, other programs, other parts of a program
- Computation – what our program will do with the input to produce the output.
- Output: to screen, files, other output devices, other programs, other parts of a program

# Computation

- Our job is to express computations
  - Correctly
  - Simply
  - Efficiently
- One tool is called Divide and Conquer
  - to break up big computations into many little ones
- Another tool is Abstraction
  - Provide a higher-level concept that hides detail
- Organization of data is often the key to good code
  - Input/output formats
  - Protocols
  - Data structures
- Note the emphasis on structure and organization
  - You don't get good code just by writing a lot of statements

# Language features

- Each programming language feature exists to express a fundamental idea
  - For example
    - + : addition
    - \* : multiplication
    - **if** (*expression*) *statement* **else** *statement* ; selection
    - **while** (*expression*) *statement* ; iteration
    - **f(x)**; function/operation
    - ...
- We combine language features to create programs

# Expressions

*// compute area:*

```
int length = 20;      // the simplest expression: a literal (here, 20)
```

```
      // (here used to initialize a variable)
```

```
int width = 40;
```

```
int area = length*width;    // a multiplication
```

```
int average = (length+width)/2;  // addition and division
```

The usual rules of precedence apply:

**a\*b+c/d** means **(a\*b)+(c/d)** and not **a\*(b+c)/d**.

If in doubt, parenthesize. If complicated, parenthesize.

Don't write "absurdly complicated" expressions:

```
a*b+c/d*(e-f/g)/h+7      // too complicated
```

Choose meaningful names.



# Expressions

- Expressions are made out of operators and operands
  - Operators specify what is to be done
  - Operands specify the data for the operators to work with
- Boolean type: **bool** (true and false)
  - Equality operators: == (equal), != (not equal)
  - Logical operators: && (and), || (or), ! (not)
  - Relational operators: < (less than), > (greater than), <=, >=
- Character type: **char** (e.g., 'a', '7', and '@')
- Integer types: **short, int, long**
  - arithmetic operators: +, -, \*, /, % (remainder)
- Floating-point types: e.g., **float, double** (e.g., 12.45 and 1.234e3)
  - arithmetic operators: +, -, \*, /

# Concise Operators

- For many binary operators, there are (roughly) equivalent more concise operators
  - For example
    - $a += c$  means  $a = a + c$
    - $a *= \text{scale}$  means  $a = a * \text{scale}$
    - $++a$  means  $a += 1$   
or  $a = a + 1$
- “Concise operators” are generally better to use (clearer, express an idea more directly)

# Statements

- A statement is
  - an expression followed by a semicolon, or
  - a declaration, or
  - a “control statement” that determines the flow of control
- For example
  - `a = b;`
  - `double d2 = 2.5;`
  - `if (x == 2) y = 4;`
  - `while (cin >> number) numbers.push_back(number);`
  - `int average = (length+width)/2;`
  - `return x;`
- You may not understand all of these just now, but you will ...

# Selection

- Sometimes we must select between alternatives
- For example, suppose we want to identify the larger of two values. We can do this with an **if** statement

```
if (a<b)      // Note: No semicolon here
    max = b;
else         // Note: No semicolon here
    max = a;
```

- The syntax is

```
if (condition)
    statement-1      // if the condition is true, do statement-1
else
    statement-2     // if not, do statement-2
```

# Iteration (while loop)

- The world's first “real program” running on a stored-program computer (David Wheeler, Cambridge, May 6, 1949)

*// calculate and print a table of squares 0-99:*

```
int main()  
{  
    int i = 0;  
    while (i<100) {  
        cout << i << '\t' << square(i) << '\n';  
        ++i;    // increment i  
    }  
}
```

*// (No, it wasn't actually written in C++ 😊.)*

# Iteration (while loop)

- What it takes
  - A loop variable (control variable); here: **i**
  - Initialize the control variable; here: **int i = 0**
  - A termination criterion; here: if **i<100** is false, terminate
  - Increment the control variable; here: **++i**
  - Something to do for each iteration; here: **cout << ...**

```
int i = 0;
while (i<100) {
    cout << i << '\t' << square(i) << '\n';
    ++i;    // increment i
}
```

# Iteration (for loop)

- Another iteration form: the **for** loop
- You can collect all the control information in one place, at the top, where it's easy to see

```
for (int i = 0; i<100; ++i) {  
    cout << i << '\t' << square(i) << '\n';  
}
```

That is,

```
for (initialize; condition ; increment )  
    controlled statement
```

Note: what is **square(i)**?


# Functions

- But what was **square(i)**?
  - A call of the function **square()**

```
int square(int x)
{
    return x*x;
}
```
  - We define a function when we want to separate a computation because it
    - is logically separate
    - makes the program text clearer (by naming the computation)
    - is useful in more than one place in our program
    - eases testing, distribution of labor, and maintenance



# Control Flow



# Functions

- Our function

```
int square(int x)
{
    return x*x;
}
```

is an example of

```
Return_type function_name ( Parameter list )
    // (type name, etc.)
{
    // use each parameter in code
    return some_value;           // of Return_type
}
```

# Another Example

- Earlier we looked at code to find the larger of two values. Here is a function that compares the two values and returns the larger value.

```
int max(int a, int b) // this function takes 2 parameters
{
    if (a<b)
        return b;
    else
        return a;
}
```

```
int x = max(7, 9);    // x becomes 9
int y = max(19, -27); // y becomes 19
int z = max(20, 20); // z becomes 20
```

# Data for Iteration - Vector

- To do just about anything of interest, we need a collection of data to work on. We can store this data in a **vector**. For example:

*// read some temperatures into a vector:*

```
int main()
```

```
{
```

```
    vector<double> temps;    // declare a vector of type double to store  
                            // temperatures – like 62.4
```

```
    double temp;          // a variable for a single temperature value
```

```
    while (cin>>temp)      // cin reads a value and stores it in temp
```

```
        temps.push_back(temp); // store the value of temp in the vector
```

```
    // ... do something ...
```

```
}
```


*// cin>>temp will return true until we reach the end of file or encounter*

*// something that isn't a double: like the word "end"*

# Vector

- Vector is the most useful standard library data type
  - a `vector<T>` holds an sequence of values of type T
  - Think of a vector this way

A vector named `v` contains 5 elements: {1, 4, 2, 3, 5}:



# Vectors

```
vector<int> v; // start off empty
```




```
v.push_back(1); // add an element with the value 1
```



```
v.push_back(4); // add an element with the value 4 at end ("the back")
```



```
v.push_back(3); // add an element with the value 3 at end ("the back")
```



# Vectors

- Once you get your data into a vector you can easily manipulate it:

*// compute mean (average) and median temperatures:*

```
int main()
{
    vector<double> temps;      // temperatures in Fahrenheit, e.g. 64.6
    double temp;
    while (cin>>temp) temps.push_back(temp); // read and put into vector

    double sum = 0;
    for (int i = 0; i < temps.size(); ++i) sum += temps[i];
        // sums temperatures

    cout << "Mean temperature: " << sum/temps.size() << endl;
    sort(temps.begin(), temps.end());
    cout << "Median temperature: " << temps[temps.size()/2] << endl;
}
```

# Combining Language Features

- You can write many new programs by combining language features, built-in types, and user-defined types in new and interesting ways.
  - So far, we have
    - Variables and literals of types **bool**, **char**, **int**, **double**
    - **vector**, **push\_back()**, **[ ]** (subscripting)
    - **!=**, **==**, **=**, **+**, **-**, **+=**, **<**, **&&**, **||**, **!**
    - **max()**, **sort()**, **cin>>**, **cout<<**
    - **if**, **for**, **while**
  - You can write a lot of different programs with these language features! Let's try to use them in a slightly different way...



# Example – Word List

// “boilerplate” left out

```
vector<string> words;  
string s;  
while (cin>>s && s != "quit")    // && means AND  
    words.push_back(s);  
  
sort(words.begin(), words.end()); // sort the words we read  
  
for (int i=0; i<words.size(); ++i)  
    cout<<words[i]<< "\n";  
  
/*  
    read a bunch of strings into a vector of strings, sort  
    them into lexicographical order (alphabetical order),  
    and print the strings from the vector to see what we have.  
*/
```

# Word list – Eliminate Duplicates

*// Note that duplicate words were printed multiple times. For  
// example “the the the”. That’s tedious, let’s eliminate duplicates:*

```
vector<string> words;  
string s;  
while (cin>>s && s!= "quit") words.push_back(s);  
  
sort(words.begin(), words.end());  
  
for (int i=1; i<words.size(); ++i)  
    if(words[i-1]==words[i])  
        “get rid of words[i]” // (pseudocode)  
for (int i=0; i<words.size(); ++i) cout<<words[i]<< “\n”;
```

*// there are many ways to “get rid of words[i]”; many of them are messy  
// (that’s typical). Our job as programmers is to choose a simple clean  
// solution – given constraints – time, run-time, memory.*

# Example (cont.) Eliminate Words!

*// Eliminate the duplicate words by copying only unique words:*

```
vector<string> words;
string s;
while (cin>>s && s!="quit") words.push_back(s);
sort(words.begin(), words.end());
vector<string>w2;
if (0<words.size()) {           // Note style { }
    w2.push_back(words[0]);
    for (int i=1; i<words.size(); ++i)
        if(words[i-1]!=words[i])
            w2.push_back(words[i]);
}
cout<< "found " << words.size()-w2.size() << " duplicates\n";
for (int i=0; i<w2.size(); ++i) cout << w2[i] << "\n";
```

# Algorithm

- We just used a simple algorithm
- An algorithm is (from Google search)
  - “a logical arithmetical or computational procedure that, if correctly applied, ensures the solution of a problem.” – *Harper Collins*
  - “a set of rules for solving a problem in a finite number of steps, as for finding the greatest common divisor.” – *Random House*
  - “a detailed sequence of actions to perform or accomplish some task. Named after an Iranian mathematician, Al-Khawarizmi. Technically, an algorithm must reach a result after a finite number of steps, ...The term is also used loosely for any sequence of actions (which may or may not terminate).” – *Webster’s*
- We eliminated the duplicates by first sorting the vector (so that duplicates are adjacent), and then copying only strings that differ from their predecessor into another vector.

# Ideal

- Basic language features and libraries should be usable in essentially arbitrary combinations.
  - We are not too far from that ideal.
  - If a combination of features and types make sense, it will probably work.
    - The compiler helps by rejecting some absurdities.

# The next lecture

- How to deal with errors