

IE301  
Analysis and Design of Data Systems

Lecture 18

Relational Algebra 2

Aram Keryan



November 16, 2015

# Set Operations


## UNION, INTERSECTION, MINUS

The next group of relational algebra operations are the standard mathematical operations on sets.



UNION



MINUS



INTERSECTION



# Set Operations

## UNION, INTERSECTION, MINUS

UNION, INTERSECTION, and MINUS are **binary** operations.

Let's  $R(A_1, A_2, \dots, A_n)$  and  $S(B_1, B_2, \dots, B_n)$  are relations.

The relations  $R$  and  $S$  on which any of set operations to be applied must satisfy to the next two conditions:

- 1)  $Degree(R) = degree(S);$
- 2)  $dom(A_i) = dom(B_i) \quad \text{for } 1 \leq i \leq n;$

- This means that the two relations have the same number of attributes and each corresponding pair of attributes has the same domain.

# UNION

**Example:** Retrieve the Social Security numbers of all employees who either work in department 5 or directly supervise an employee who works in department 5.

Step 1:  $DEP5\_EMPS \leftarrow \sigma_{Dno=5}(EMPLOYEE)$

Step 2:  $RESULT1 \leftarrow \pi_{Ssn}(DEP5\_EMPS)$

Step 3:  $RESULT2(Ssn) \leftarrow \pi_{Super\_ssn}(DEP5\_EMPS)$

Step 4:  $RESULT \leftarrow RESULT1 \cup RESULT2$

or, as a single relational algebra expression:

$$\begin{aligned} Result \leftarrow & \pi_{Ssn} (\sigma_{Dno=5} (EMPLOYEE)) \cup \\ & \cup \pi_{Super\_ssn} (\sigma_{Dno=5} (EMPLOYEE)) \end{aligned}$$

✓ Set operations eliminate duplicates

**RESULT1**

Ssn
123456789
333445555
666884444
453453453

**RESULT2**

Ssn
333445555
888665555

**RESULT**

Ssn
123456789
333445555
666884444
453453453
888665555

# Set operations (attributes naming)

**STUDENT**

Fn	Ln
Susan	Yao
Ramesh	Shah
Johnny	Kohler
Barbara	Jones
Amy	Ford
Jimmy	Wang
Ernest	Gilbert

**INSTRUCTOR**

Fname	Lname
John	Smith
Ricardo	Browne
Susan	Yao
Francis	Johnson
Ramesh	Shah

**(a)**

Fn	Ln
Susan	Yao
Ramesh	Shah
Johnny	Kohler
Barbara	Jones
Amy	Ford
Jimmy	Wang
Ernest	Gilbert
John	Smith
Ricardo	Browne
Francis	Johnson

**(b)**

Fn	Ln
Susan	Yao
Ramesh	Shah

**(c)**

Fn	Ln
Johnny	Kohler
Barbara	Jones
Amy	Ford
Jimmy	Wang
Ernest	Gilbert

**(d)**

Fname	Lname
John	Smith
Ricardo	Browne
Francis	Johnson

STUDENT  $\cup$  INSTRUCTOR = **(a)**

STUDENT  $\cap$  INSTRUCTOR = **(b)**

STUDENT  $-$  INSTRUCTOR = **(c)**

INSTRUCTOR  $-$  STUDENT = **(d)**

# CARTESIAN PRODUCT Operation

## (CROSS PRODUCT)

Cartesian product is also a *binary set* operation denoted by  $\times$ .

Cartesian product operation produces a new element by combining every tuple from one relation with every tuple from the other relation.

$R(A_1, A_2, \dots, A_n) \times S(B_1, B_2, \dots, B_m)$  is a  $n + m$  degree relation

$Q(A_1, A_2, \dots, A_n, B_1, B_2, \dots, B_m)$  with attributes in that order.

- ✓ The CARTESIAN PRODUCT operation by itself is generally meaningless, except when followed by a selection that matches values of attributes coming from the component relations.

# CARTESIAN PRODUCT Operation

**Example:** retrieve a list of names of each female employee's dependents

Step 1:  $\text{FEMALE\_EMPS} \leftarrow \sigma_{\text{Sex}='F'}(\text{EMPLOYEE})$

Step 2:  $\text{EMP\_NAMES} \leftarrow \pi_{\text{Fname, Lname, Ssn}}(\text{FEMALE\_EMPS})$

Step 3:  $\text{EMP\_DEPENDENTS} \leftarrow \text{EMP\_NAMES} \times \text{DEPENDENT}$

Step 4:  $\text{ACTUAL\_DEPENDENTS} \leftarrow \sigma_{\text{Ssn}=\text{Essn}}(\text{EMP\_DEPENDENTS})$

Step 5:  $\text{RESULT} \leftarrow \pi_{\text{Fname, Lname, Dependent\_name}}(\text{ACTUAL\_DEPENDENTS})$

## Resulting Relations:

Step 1:

### FEMALE\_EMPS

Fname	Minit	Lname	Ssn	Bdate	Address	Sex	Salary	Super_ssn	Dno
Alicia	J	Zelaya	999887777	1968-07-19	3321Castle, Spring, TX	F	25000	987654321	4
Jennifer	S	Wallace	987654321	1941-06-20	291Berry, Bellaire, TX	F	43000	888665555	4
Joyce	A	English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000	333445555	5



# CARTESIAN PRODUCT Operation

Step 2: **EMPNAMES**

Fname	Lname	Ssn
Alicia	Zelaya	999887777
Jennifer	Wallace	987654321
Joyce	English	453453453

Step 3:

**EMP\_DEPENDENTS**

Fname	Lname	Ssn	Essn	Dependent_name	Sex	Bdate	...
Alicia	Zelaya	999887777	333445555	Alice	F	1986-04-05	...
Alicia	Zelaya	999887777	333445555	Theodore	M	1983-10-25	...
Alicia	Zelaya	999887777	333445555	Joy	F	1958-05-03	...
Alicia	Zelaya	999887777	987654321	Abner	M	1942-02-28	...
Alicia	Zelaya	999887777	123456789	Michael	M	1988-01-04	...
Alicia	Zelaya	999887777	123456789	Alice	F	1988-12-30	...
Alicia	Zelaya	999887777	123456789	Elizabeth	F	1967-05-05	...
Jennifer	Wallace	987654321	333445555	Alice	F	1986-04-05	...
Jennifer	Wallace	987654321	333445555	Theodore	M	1983-10-25	...
Jennifer	Wallace	987654321	333445555	Jov	F	1958-05-03	...



# CARTESIAN PRODUCT Operation

Step 4:

## ACTUAL\_DEPENDENTS

Fname	Lname	Ssn	Essn	Dependent_name	Sex	Bdate	...
Jennifer	Wallace	987654321	987654321	Abner	M	1942-02-28	...

Step 5: **RESULT**

Fname	Lname	Dependent_name
Jennifer	Wallace	Abner

- ✓ Because this sequence of CARTESIAN PRODUCT followed by SELECT is quite commonly used to combine *related tuples* from two relations, a special operation, called JOIN, was created to specify this sequence as a single operation.

# Binary Operation $\theta$ -JOIN

$\theta$ -JOIN operation, denoted  $\bowtie$ , is used to combine *related tuples* from two relations into single tuples if join condition is satisfied.

**Example:** retrieve the name of the manager of each department.

```
SELECT d.Dname, e.Fname, e.Lname  
FROM EMPLOYEE e, DEPARTMENT d  
WHERE Ssn = Mgr_ssn;
```



```
DEPT_MGR  $\leftarrow$  DEPARTMENT  $\bowtie_{\text{Mgr\_ssn}=\text{Ssn}}$  EMPLOYEE  
RESULT  $\leftarrow \pi_{\text{Dname, Lname, Fname}}(\text{DEPT\_MGR})$ 
```

# General form of $\theta$ -JOIN

Let's  $R(A_1, A_2, \dots, A_n)$  and  $S(B_1, B_2, \dots, B_m)$  are relations.

The general form of a  $\theta$ -JOIN operation on two relations  $R$  and  $S$  is:

$$R \bowtie_{\langle \text{join condition} \rangle} S$$

where  $\langle \text{join condition} \rangle$  is of the form:

$\langle \text{condition} \rangle$  **AND**  $\langle \text{condition} \rangle$  **AND** ... **AND** (condition)

where  $\langle \text{condition} \rangle$  is of the form  $A_i \theta B_j$

where  $A_i$  is an attribute of  $R$ , and  $B_j$  is from  $S$

and  $\theta$  is one of the comparison operators  $\{=, <, \leq, >, \geq, \neq\}$ .

# NATURAL JOIN

NATURAL JOIN operation, denoted  $\bowtie$  (without join condition), is used to combine *related tuples* from two relations into single tuples if the join attributes have the same name in both relations.

**Example:** retrieve the name of the manager of each department.

$DEPT\_MGR \leftarrow EMPLOYEE \bowtie \rho_{(Dname,Dnum,Ssn,Mgr\_start\_date)}(DEPARTMENT)$

$RESULT \leftarrow \pi_{Dname,Lname,Fname}(DEPT\_MGR)$