



НЕКОТОРЫЕ СВОЙСТВА ПРЯМОУГОЛЬНЫХ ТРЕУГОЛЬНИКОВ



$$\begin{aligned}\angle \hat{A} &= 65^\circ; \angle \hat{B} = 45^\circ \\ \angle \tilde{N} - ? \\ \angle \tilde{N} &= 180^\circ - (65^\circ + 45^\circ) = 70^\circ\end{aligned}$$




$$\angle A = 38^\circ; \angle \hat{A} - ?$$
$$\angle N - ?$$

$\angle A = \angle \hat{A} = 38^\circ$ (óæëü _ iðè _ iñííâàíèè

ðàâííáåäðå íííäí _ òðåóäíëüíè èà)

$$\angle C = 180^\circ - (38^\circ + 38^\circ) = 104^\circ$$




$$\angle \hat{A} = 98^\circ$$

$$\angle \hat{A} - ?;$$

$$\angle \tilde{N} - ?$$

$$\begin{aligned}\angle \hat{A} &= \angle C \quad (\text{óæëü } - \text{iðè } - \text{iñüüâàíèè} \\ &\quad \text{ðàâüáåäðå } \text{iüüäi } - \text{òðåóäîëüíè } \text{êà})\end{aligned}$$

$$\angle \hat{A} = \angle C = (180^\circ - 98^\circ) : 2 = 41^\circ$$



$$\hat{AA} = 2,3 \text{ \AA} ;$$

$$\hat{AN} = 1,2 \text{ \AA} ;$$


$$\hat{NN} = 3,6 \text{ \AA}$$

$$\hat{AN} < \hat{AA} + \hat{AN}$$

$$3,6 \text{ \AA} < 2,3 \text{ \AA} + 1,2 \text{ \AA}$$

$$3,6 \text{ \AA} < 3,5 \text{ \AA} \text{ (íåâåðüí)} \Rightarrow$$

\Rightarrow òðåóäîëüí è íå _ nòùåñòåóåò



A

C


$$\angle \tilde{N} = 90^\circ$$

$$\angle \hat{A} = 30^\circ$$

$$\hat{A}\tilde{N} = 4,3\tilde{n}i$$

$$\hat{A}\hat{A} - ?\tilde{n}i$$

$$AC = \frac{1}{2} AB \Rightarrow AB = 2AC = 8,6ci$$



B

A

C


$$\angle N = 90^\circ$$

$$\angle A = 30^\circ$$

$$AB = 22 \text{ m}$$

$$AC = ? \text{ m}$$

$$AC = \frac{1}{2} AB \Rightarrow AC = 22 : 2 = 11 \text{ m}$$



B

A

C

$$\angle N = 90^\circ$$

$$AB = 30\text{ m}$$

$$AC = 15\text{ m}$$

$$\angle B - ?$$

$$AC = \frac{1}{2} AB \Rightarrow \angle B = 30^\circ$$