


Outline

- A. Electric current
- B. Voltage and resistance
- C. Electrical power

A. Electric Current

The photo on the opposite page shows a simple electric circuit (or circuit). A cell provides an electric current (or current). This flows through wires, which conduct the electricity (provide a way for it to travel). The current is used to light a lamp. So, like all circuits, the example includes:

- an electrical supply in this case, the cell
- an electrical conductor (or conductor)- an electrical pathin this case, wires
- one or more electrical components (or components)electrical devices (in this case, the lamp) which have a function.



A. Electric Current

Current- measured in **amperes, or amps** (A) -is the rate of flow of electric charge. Electric charge is carried by electrons- particles with a **negative charge** (-), which are normally attached to atoms. When an electric current flows through a conductr; the electrons move from one atom to another- in the case of a copper wire, from one copper atom to the next. If the number of electrons flowing through a conductor increases, then the **amperage, or arnpage** (current) increases. When electrons flow, carrying a current, they can be called **charge carriers.**

Notes: In everyday English, cells are called batteries. In technical English, a battery is a number of cells placed together. Lamps are often called bulbs in everyday English.

B. Voltage and Resistance

The amount of current (in amps) flowing through a circuit will partly depend on the electromotive force (EMF) of the electrical supply. Electromotive force is measured in volts (V), and is generally called voltage. The voltage depends on the 'strength' of the electrical supply. In the diagram above, adding a second cell would supply a higher voltage.

The amount of current will also depend on electrical resistance (or resistance). This value- in ohms (0) - is a measure of how easily current can flow through the conductors and components in a circuit. For example, a lamp creates resistance because the filament- the metal wire inside it - is very thin. This limits the amount of current that can flow. Resistance also depends on the materials used as conductors. For example, copper has a low resistance and so is a good conductor.

B. Voltage and Resistance

Materials with very high resistance, such as plastics, are called electrical insulators (or insulators). Only very high voltages cause current to flow through them. Materials that are good insulators are used to insulate conductors. An example is plastic insulation around electric wires. This stops people from touching the conductor and- if it is live (carrying current)- from getting a dangerous electric shock.


C. Electrical Power

The text below, about electrical power, is from a home improvements magazine

The amount of current, in amps, required by an electrical appliance- such as a TV or an electric kettle -depends on the power of the appliance. This number-expressed in watts (W)- will be marked somewhere on the appliance. To calculate the required current, simply take the wattage and divide it by the voltage of the electrical supply in your home- around 230 volts in most of Europe. Therefore, for an electric kettle with a power rating of 2,000 watts (as specified by the manufacturer), the current required is:


 $\frac{2,000 \text{ watts}}{230 \text{ volts}} = 8.7 \text{ amps}$

43.1 Complete the word puzzle and find the word going down the page. Look at A, B and C opposite page to help you.



8 the consequence of a person touching a live conductor

43.1 Complete the word puzzle and find the word going down the page. Look at A, B and C opposite page to help you.



43.2 Complete the extract about current and power calculations using the words in the box. Look at A, B and C opposite to help you.

voltage conductor resistance wattage current amps supply volts ohms circuit components watts

In electrical calculations, electromotive force is expressed by the letter E, res the letter R, and current by the letter 1 (which comes from the word 'intensity According to Ohm's Law: I = E/R.

In other words, the (1)..... flowing through a (2)......, measured in (3) 5 supply (4)..... of the electrical (5)....., measured in (6)....., divided by the to 6 volts measured in (8) To work out the value of R, it is necessary to calcu 7 resistance resistance of all the (9)...... and connecting lengths of (10)...... That make u 8 ohms Once both the voltage and amperage are known, it is possible to work ou 9 components measured in (11)......, that will be consumed. Power (P) can be calculat 1 0 conductor equation P = EI. Therefore (12) equals voltage multiplied by amperage. 11 watts

1 current

2 circuit

3 amps

4 voltage

12 wattage