Enterprise mobile crowdsourcing via ECrowd





Features


- Generating multi-platform client apps
- Template based task design
- Customizable branding
- Customizable input types (sound, images, video and text controls)
- Push notifications
- Integration with IBM Bluemix services
- Gamification elements

Planned features

- User modeling
- Nudging strategies
- Integration with IBM Watson API's
- Etc.

Application panel





Administration panel

Crowd > Administration \Rightarrow ECrowd

Administration

Applicat	Administration	nesuits				
Strategy	Templates Menu items	Key value pairs	Users Import a user			
						Add template
Show 50	entries			Searc	:h:	
ld	^ Name			\$	Template type	\$
1	Picture Task				Task	/
2	TestView				View	∕ 葡
3	Annotation Task	#1			Task	∕ 葡
41	Audio Task				Task	∕ 葡
81	Contact				View	/ 面
101	TestTask				Task	/ fi
121	NewsfeedView				View	≠

Annotation results

owd > Annotation Results > Crowd

Administration Results

Search:

Innotatation

100000								
ID	User Agent	Annotation Type	Content Type	Content	\$ Application \$	Task [†]	User	Acti
10282	Mozilla/5.0 (Linux; Android 5.1.1; Android SDK built for x86_64 Build/LMY48X) AppleWebKit/537.36 (KHTML, like Gecko) Version/4.0 Chrome/39.0.0.0 Mobile Safari/537.36/Worklight /8.0.0.00.2015-12-11T23:31:24Z	COMPLETED	JSON	[{cellNumber=14}, {elapsed_time=8308}]	101	741	151	1
10263	Mozilla/5.0 (Linux; Android 5.1.1; Android SDK built for x86_64 Build/LMY48X)	COMPLETED	JSON	[{relations={ceo=true, products=true, affiliation=true}}, {}, {}, {}, {}, {}, {}, {}, {}, {},	101	862	151	

Client side

