


Биологические рисунки.

Программа «Исследователи»
Педагог Курчавова Н.И.



Микроскоп Роберта Гука
(выполнен по чертежам
Р. Гука мастером
Кристофером Куком).
Около 1670 г.




Антони ван Левенгук




Левенгук (Leeuwenhoek), Антони ван
(24.10.1632, Делфт – 26.08.1723, там же),



Микроскоп Левенгука



8
fig:3



12
fig:1,



7
fig:2




Fig:1L.



fig:4.




fig:6



10
fig:5





Plate IV. *Scrup.*

- Fig. 1. Orbicular.
- 2. Roundish.
- 3. Obovate.
- 4. Oval.
- 5. Oblong.
- 6. Lanceolate.
- 7. Linear.
- 8. Subulate or wand-shaped.
- 9. Reniform or kidney-shaped.
- 10. Cordate or heart-shaped.
- 11. Lanceolate or ear-shaped.
- 12. Triangular.
- 13. Sagittate or arrow-shaped.
- 14. Heart-shaped.
- 15. Hastate or halberd-shaped.
- 16. Obcordate or inverted heart-shaped.
- 17. 3-lobed.
- 18. Trilobate or as if bitten.
- 19. Lobed.
- 20. 5-angled.
- 21. Knotted or grained.
- 22. Palmate.
- 23. Pinnatifid or wing-claft.
- 24. Lacinate or jagged.
- 25. Serrated or indented.
- 26. Toothed.
- 27. ... or bearded.

- Fig. 35. Acutely crenate or scalloped.
- 36. Obtusely crenate.
- 37. Pinnate.
- 38. Pinnatifid or notched.
- 39. Spatulate or shaped like a spatula.
- 40. Obovate.
- 41. Archaic.
- 42. Arched or pointed.
- 43. Obtuse with a point.
- 44. Acutely emarginate or notched.
- 45. Cuneiform or wedge-shaped.
- 46. Reniform.
- 47. Hairy.
- 48. Downy.
- 49. Hairy or covered with stiff hairs.
- 50. Ciliate or fringed.
- 51. Rhombic.
- 52. Velvety.
- 53. Nerveless.
- 54. Papillose or pimpled.
- 55. Parabolic.
- 56. Acanthiform or scorpion-shaped.
- 57. Dichotomous or branched.



Сложные листья.
 Рисунок Карла Линнея из книги *Hortus
 Cliffortianus* (1737)

